# OKEANOS EXPLORER ROV DIVE FORM

Site Name	Santa Cruz Canyon								4	
ROV Lead	Dave Lovalvo									Nevada
General Area Descriptor	6 km South of Santa Cruz Island, Channel Islands, CA						**	Ca	liforn	ia
UTC Date & Time	Deployment	nent 4/22			6:17h	师极		The state of the s		
	Recovery	4/22/2011 23			3:19h			Okeanos Explorer	0	
Bottom Time [HH:MM]	5:21							© 2011 Europa Image USDA Farn Data SIO, NOAA, U.S © 2011	Servic Navy	e Agency NGA GEBCO
Landing Time & Location	UTC Time			:28		Depth [m]			786	
	Latitude	33	ō			54.631			′	N
	Longitude	119		ō		47.930			′	w
Off Bottom Time & Location	UTC Time		22:49			Depth [m]		425		;
	Latitude	33	0			54.473			′	N
	Longitude	119		ō	48.400				′	w
ROV Dive Name	Cruise Season		Leg			Dive N				oer
Equipment Deployed	EX1102 ROV:		<del>-</del>			ROV03  Little Hercules				
	Camera Platfom:			Seirios						
ROV Measurements	□ CTD     □ Scanning Sonar     □ Pitch     □ Low Res Cam 1		□ Depth     □ USBL Position     □ Roll     □ Low Res Cam 2			<ul><li>✓ Altitude</li><li>✓ Heading</li><li>✓ HD Camera</li></ul>				
Equipment Malfunctions	None									
Special Notes	Click here to enter text.									
Scientists Involved (please provide name / location / affiliation / email)	Dr. Steve Katz, EX, CINMS, <u>Steve.Katz@noaa.gov</u>									
Purpose of the Dive: RO	V Shakedown –	this was an engin	eerin	g d	ive.					


# **Description of the Dive:**

This dive started at the bottom of the Gull Island submarine canyon on the South side of Santa Cruz Island. The dive began on the floor of the canyon at approximately 800m, which is a sedimented soft bottom, and then progressed up the west wall of the canyon, which is steep rock walls, ending at 425m deep. In addition to transiting across a wide range of relief, the dive crossed the boundary of the Gull Island Federal Marine Protected Area (MPA). It was noteworthy that immediately adjacent to the MPA boundary near the beginning of the dive, images were collected documenting the presence of trawl marks on the bottom and numerous dead scallop shells. The portion of the dive that progressed up the canyon wall revealed an unexpectedly high density and diversity of benthic invertebrate fauna. This was our first encounter with really large, cold water sponges; especially impressive were the goiter sponges (*Heterochone calyx*).

These deep habitats are well below the photic zone, and as such almost no one down here is making their own food – but they are relying on sinking nutrition from above and recycling what is already at depth. This has fed the expectation that life in the deep water is sparse. This dive failed to meet that expectation spectacularly; the hard bottom habitat showed as high a productivity as local diver-accessible habitat.

## **Overall Map of ROV Dive Area**

### Close-up Map of Main Dive Site



### Representative Photos of the Dive



EX1102\_IMG\_20110422T190725Z\_ROVHD\_PINK\_SPONG\_FLYBY
Rock outcrops encountered during the dive were covered in
diverse invertebrate fauna, predominantly sponges, soft corals,
large light bulb tunicates and occasional crinoids.



**EX1102\_IMG\_20110422T231954Z\_ROVHD\_SOFT\_CORAL**The seafloor was predominantly covered in heavy sediment with few occasional outrcrops hosting sessile organisms. These small rocks hosted small sponges and sea anemones (seen here).

Please direct inquiries to:

NOAA Office of Ocean Exploration & Research 1315 East-West Highway (SSMC3 10<sup>th</sup> Floor) Silver Spring, MD 20910 (301) 734-1014