

ROV Dive Summary, EX-21-04, Dive 04, July 07, 2021

General Location Map



Dive location noted in blue above.

Dive Information

Site Name	"Dumbbell" Seamount
General Area	Seamount within the Corner Rise Seamount Chain area
Descriptor	
Science Team	Rhian Waller, Jason Chaytor
Leads	
Expedition	Kasey Cantwell, Kimberly Galvez (Expedition Coordinator in Training)
Coordinator	

ROV Dive Supervisor	Chris Ritter
Mapping Lead	Shannon Hoy
Dive Purpose	Exploration of a previously unexplored seamount.
Was the dive restricted for Underwater Cultural Heritage?	No
ROV Dive Summary Data	Dive Summary: EX2104_DIVE04 ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
	In Water: 2021-07-07T12:22:33.193591 34.390763478734755 ;-51.76841346819103
	On Bottom: 2021-07-07T13:52:24.624713 34.39158194986832;-51.775180005277015
	Off Bottom: 2021-07-07T19:08:04.608420 34.39035688851468;-51.77126380658461
	Out Water: 2021-07-07T20:38:27.196301 34.385849729333984 ; -51.78243526854928
	Dive Duration: 8:15:54
	Bottom Time: 5:15:39
	Max Vehicle Depth: 2411.9 m
	Min Seafloor Depth: 2250.1 m
	Distance Travelled: 391.3 m



Dive Description	The geology and geomorphology observed during this dive shared many of the characteristics of the seamounts visited during so far during the EX2104 expedition, specifically, steep FeMn-encrusted rocky escarpments, low-relief rock pavements, and sediment-draped slopes with variable thickness of biogenic/volcanoclastic sediments. The dive began on a steep mixed sediment/FeMn encrusted pillow-lava (some of which appeared to be broken open with crust and other layers displayed) slope that quickly transitioned to a series of rock escarpments (perhaps where parts of the substrate failed). Botroydial FeMn textures dominated the crusts seen throughout this segment to the end of the dive, with many areas observed where the crusthad broken off. Several through-going cracks were seen in the outcrops. Approximately halfway through the dive, the slope gradient appeared too shallow just enough for sediment to begin accumulating on the slope. An attempt (failed) was made to collect a rock sample that broke on collection - the broken material was noted to be chalk-like, suggestive of a carbonate lithology. Sediment cover increased as the dive continued, with a thin draping blanket of sediment covering rock pavement in places. A rock sample was collected from the wall of a suspected lava tube/deflation feature, and shortly there-after another sample was collected from a sediment/rock pavement that may be ice-rafted debris or volcanic rock from further upslope. At the end of the dive, the ROV traversed mixed lava morphologies (sheet and pillow) with mixed sediment cover. This was a biologically diverse dive with walls covered in both a high abundance and high diversity of sponges. Corals were primarily Chrysogorgia (with squat lobster associates and potentially dumbo octopus egg cases), "bramble" bamboo corals and Lepidisis, though a few small solitary cup corals (likely Caryophllia) were observed. Zooanthids were also observed and Asteronyx brittle stars, as well as a Cushion Star on a flow edge. There were areas of abundant f
Notable	High density sponge communities
Observations	Corals and Sponges - (Present)
Community and habitat	Chemosynthetic Community - (Absent)
observations	High biodiversity Community - (Present)
	Active Seep or Vent - (Absent)
	Extinct Seep or Vent - (Absent)
	Hydrates - (Absent)
CMECS Feature	Rock, Sediment (Fine & coarse unconsolidated)
Type(s)	
SeaTube Link	https://data.oceannetworks.ca/SeaTubeV3?resourceTypeId=600&resourceId=2273
(science	
annotation system)	
2 A2 (GIII)	1


Equipment Deployed

ROV	Deep Discoverer	
Camera Platform	Seirios	
ROV Measurements	me remember and a second and equipment are as as an easing	
	deployment: CTD, depth, scanningsonar, USBL position, altitude, heading, attitude, high-	
	resolution cameras, low resolution cameras, manipulator arms, suction sampler, sample	



	drawers and thrusters. The section below notes if any of these sensors were malfunctioning or not operational.
Equipment	None
Malfunctions	


Overview of Dive Site



Smoothed ROV dive track (blue) on an overview bathymetry of the seamount, 3x vertical exaggeration.




Close-up Map of Main Dive Site




Smoothed ROV dive track in white on 25x25 cell size bathymetry, 3x vertical exaggeration, depth in meters, 100 meter contours

Representative Photos of the Dive



[Seirios image of D2 working on a cliff face covered with sponges. This scene was typical throughout the first $\frac{2}{3}$ of the dive.]






[At the top of a steep cliff covered with sponges and corals. Flow morphology changes from pillow to sheet flow on the far left of the image]




[End cap of a pillow lava with a hexactinellid sponge growing out of the face.]





[At the very end of the dive this pillow flow was observed in surrounding sediment with a few sponges and a rare, unidentified, stalked crinoid on top that was collected for identification]

Samples Collected -








Sample ID	EX2104_D04_01B
Date (UTC)	20210707
Time (UTC)	164802
Depth (m)	2356.563965
Latitude (decimal degrees)	34.39134979
Longitude (decimal degrees)	-51.77375031
Temp. (°C)	3.38499999
Field ID(s)	Euplectellidae
Comments	Sample has broken apart, translucent glass sponge, 13cm long, part of a larger specimen about 60-70 cm total length

Associates Sample ID	FieldIdentification	Count
N/A	N/A	N/A








Sample ID	EX2104_D04_02B
Date (UTC)	20210707
Time (UTC)	170520
Depth (m)	2355.230957



Latitude (decimal degrees)	34.3913002
Longitude (decimal degrees)	-51.77379227
Temp. (°C)	3.371000051
FieldID(s)	Keratoisis
	Very mucousy, 40cm, started with 95% ethanol, switched to 19% formalin for 24 hrs, then to 70% ethanol

Associates Sample ID	Field Identification	Count
N/A	N/A	N/A







Sample ID	EX2104_D04_03G
Date (UTC)	20210707
Time (UTC)	175205
Depth (m)	2330.281982
Latitude (decimal degrees)	34.39126587
Longitude (decimal degrees)	-51.77323151
Temp. (°C)	3.406
Field ID(s)	rock encrusted in FeMn
Comments	16cm total, 9.5cm tall and 5.5cm wide, encrusted with FeMn, rusty striping, visible layering within FeMn crust, botryoidal texture, signs of oxidation

Associates Sample ID	Field Identification	Count
N/A	N/A	N/A








SampleID	EX2104_D04_04G
Date (UTC)	20210707



Time (UTC)	180242
Depth (m)	2326.285889
Latitude (decimal degrees)	34.39129257
Longitude (decimal degrees)	-51.77285767
Temp. (°C)	3.395
Field ID(s)	Loose rock: Potential Ice Raft Debris
	31cm long, 13cm wide, 15cm tall, dead sponge attached and various dead encrusted sponges, smooth texture

Associates Sample ID	Field Identification	Count
N/A	N/A	N/A







Sample ID	EX2104_D04_05B
Date (UTC)	20210707
Time (UTC)	190358
Depth (m)	2259.553955
Latitude (decimal degrees)	34.39042282
Longitude (decimal degrees)	-51.77141953
Temp. (°C)	3.578
Field ID(s)	Bathycrinidae
Comments	sample breaking apart, 25cm long including stem, 5 bifurcated arms, 10 arms total, and red in color

Scientists Involved (provide name, email, affiliation)

First Name	Last Name	Email	Affiliation
Charles	Messing	messingc@nova.edu	Nova Southeastern University
Christa	Rabenold	christa.rabenold@noaa.gov	NOAA/OER
Christopher	Kelley	ckelley@hawaii.edu	University of Hawaii



			Dept. Invertebrate Zoology, National Museum of Natural
Christopher	Mah	brisinga@gmail.com	History
Cindy	Van Dover	clv3@duke.edu	Duke University
Dhugal	Lindsay	dhugal@jamstec.go.jp	JAMSTEC
Emily	Crum	emily.crum@noaa.gov	NOAA Ocean Exploration
George	Matsumoto	mage@mbari.org	MBARI
Harold	Carlson	harold.carlson@noaa.gov	NOAA, USC
Jason	Chaytor	jchaytor@usgs.gov	USGS
Jaymes	Awbrey	C00227433@Iouisiana.edu	University of Louisiana at Lafayette
Jocelyn	Cooper	jocelyn.cooper@maine.edu	University of Maine
Kasey	Cantwell	kasey.cantwell@noaa.gov	NOAA Ocean Exploration
Kelsey	Viator	ksviator2000@gmail.com	University of Louisiana at Lafayette
Kevin	Konrad	Kevin.Konrad@unlv.edu	University of Nevada, Las Vegas
Kimberly	Galvez	kimberly.galvez@noaa.gov	OER
Kira	Mizell	kmizell@usgs.gov	USGS
Les	Watling	watling@hawaii.edu	University of Hawaii at Manoa
Madalyn	Newman	madalyn.newman@noaa.gov	NCEI
Meagan	Putts	meagan.putts@noaa.gov	University of Hawaii
Michael	Vecchione	vecchiom@si.edu	NOAA & NMNH
Noelle	Helder	noelle.helder@noaa.gov	NOAA OER
Peter	Auster	peter.auster@uconn.edu	UConn & Mystic Aquarium
Bramley	Murton	bramley.murton@noc.ac.uk	National Oceanography Centre, UK
Rhian	Waller	rhian.waller@maine.edu	University of Maine
Scott	France	france@louisiana.edu	University of Louisiana at Lafayette
Thomas	Morrow	thomas.morrow@bc.edu	Boston College
Tina	Molodtsova	tina@ocean.ru	P.P.Shirshov Institute of Oceanology RAS
		upasana.ganguly1@louisiana.ed	
Upasana	Ganguly	u	University of Louisiana at lafayette
Pierre	Josso	piesso@bgs.ac.uk	British Geological Survey
Andrea	Quattrini	quattrinia@si.edu	Smithsonian Institution
Cristiana	Castello-Branco	cristianacbranco@gmail.com	Smithsonian NMNH



Please direct inquiries to:

NOAA Office of Ocean Exploration & Research 1315 East-West Highway, SSMC3 RM 10210 Silver Spring, MD 20910 oceanexplorer@noaa.gov

